

ETAL CUTTING **BANDSAW**

• Industrial quality, designed for all day use in demanding metal fabrication workshops.

- Swivel head 0 to 60°
- 1.5hp 240v Single Phase Motor
- 27mm x 2455mm Blade
- Dual Mode Hydraulic downfeed & Trigger switch pull down operation
 • 260 x 110mm RHS Capacity (90°)
- 215 x 215mm SHS Capacity (90°)
- Made In Taiwan Part No. WP270SH-1

5L Cutting Fluid Part No. MF-5LITRE





HOT OFFER

LENCED WIN TANK COMPRESSOR

• Silenced oil free pump - only 67dB

- 16 Litre lightweight aluminium tanks
- 2hp 4 Pole motor
- 125 l/min free air delivery
- · Ideal for on site nailing applications. Will run 2x framing or 3x finishing nailers continuously
- · Weight: 26.4kg Part No. TM350-20016



\$1149

HOLEMAKER PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine
- · Lightweight, only 10kg! Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- · Capacity (depth) 52mm • Magnetic attached coolant system
- Dual rail slide system Part No. HMPRO35



10 KVA **PETROL GENERATOR**

- Powerful 17hp 4 stroke engine
- 8000 Watts max
- 25L tank, 10 hours run time
- 2x IP66 15A outlets
- RCD
- · Electric start, with remote
- 2-year trade warranty (TM520-8000)

Equipped with AVR (automatic voltage regulator) alternator to provide a very pure energy supply with a THD (total harmonic distortion) of <5% which is suitable to power delicate electronic devices.

\$2599



OUR LEADING BRANDS:



























Model	MB-420DI-3 Bandsaw	MB-650DI-3 Bandsaw	Model	S14
Features	Semi-automatic	Semi-automatic	Description	350mm Cold Cut T.C.T. Saw
	 2 Way swivel head 0° to 60° 	 2 Way swivel head 0° to 60° 	Features	Swivel vice, 0° to 45°
Rectangular Capacity 90°	550 x 400mm	620 x 450mm	Cut Capacity 90°	120 x 120mm
Square Cut Capacity 90°	400 x 400mm	450 x 450mm	Cut Capacity 45°	120 x 90mm
Square Cut Capacity 45° (R)	380 x 380mm	430 x 430mm	Motor	3hp, 240V
Motor	2hp, 415V	2.95hp, 415V	Speed	1 speed 1450rpm
Speed	Variable 22 - 73mpm	Variable 23 - 95mpm	Price	\$899
Price	¢24 005	\$20.005		

ITM bandsaws are industrial quality machines, designed for all day use in demanding metal fabrication workshops.

65mm

\$2,795

Price

65mm

\$2,795

90mm

- Made in Taiwan
- · Quality casting
- & componentry
 Industry proven with over 20 years on the Australian market







				The state of the s		
Model	UE125DV	UE712A	WP210SH-1	WP210SH-3	WP270SH-1	WP270SH-3
Features	 Swivel head 0° to 60° Emergency Stop Switch 	 Swivel vice, 0° to 45° Hydraulic downfeed 		I head 0° to 60° aulic down feed		head 0° to 60° ulic down feed
	Emergency Gtop Gwitch	Tryurauno downicou	Tiyut	dulle down leed	Tiyutu	une down reed
Motor	0.4hp, 240V	1hp, 240V	1hp, 240V	1hp, 415V	1hp, 240V	1.5hp, 415V
Speed	Variable	4 speed	1 speed	2 speed	1 speed	2 speed
	23-75mpm	22, 33, 45, 65mpm	80mpm	40 & 80mpm	72mpm	36 & 72mpm
Rectangular Capacity 90°	120 x 120mm	300 x 180mm	210 x 95mm	210 x 95mm	260 x 110mm	260 x 110mm
Square Cut Capacity 90°	120 x 120mm	180 x 180mm	170 x 170mm	170 x 170mm	215 x 215mm	215 x 215mm
Square Cut Capacity 45°	70 x 70mm	110 x 110mm	110 x 110mm	110 x 110mm	145 x 145mm	145 x 145mm
Price	\$1,119	\$2,095	\$3,299	\$3,299	\$4,195	\$4,195



Model	WP275DS-1	WP275DS-3	WP310DS-3	WE350DS	WE350DSA-3
Features	 2 way swivel head 0° 		• 2 way swivel head 0° to 60°(R), 0° to 45°(L)	 2 way swivel head 0° to 60°(R), 0° to 45°(L) 	Semi-automatic function
	 Hydraulic 	down feed	Hydraulic down feed	 Hydraulic down feed 	• 2 way swivel head 0° to 60°(R), 0° to 45°(L)
Motor	1.5hp, 240V	1.5hp, 415V	2hp, 415V	2hp, 415V	2hp, 415V
Speed	1 speed,	2 speed,	2 speed 36, 72mpm	2 speed 34, 68mpm	2 speed 34, 68mpm
	72mpm	36, 72mpm			
Rectangular Capacity 90°	260 x 105mm	260 x 105mm	310 x 165mm	350 x 250mm	350 x 250mm
Square Cut Capacity 90°	215 x 215mm	215 x 215mm	235 x 235mm	260 x 260mm	260 x 260mm
Square Cut Capacity 45° (R)	145 x 145mm	145 x 145mm	185 x 185mm	165 x 165mm	165 x 165mm
Price	\$5,995	\$5,995	\$7,695	\$8,995	\$13,995



90mm

80mm

\$4,695

80mm

\$4,695

90mm

\$6,295

DRILLING MACHINES



- 13mm capacity
- 13mm B16 chuck
- 1/2hp, 240V motor
- 5 speed
- 680mm height
- 23.3kg weight (TD1013)



- 16mm capacity
- 16mm B16 chuck
- #2 MT Spindle
- 1/2hp, 240V motor
- 16 speed 980mm height
- 43kg weight (TD1316)
- 16mm capacity
- 16mm B16 chuck
- #2 MT Spindle
- 3/4hp, 240V motor
- 16 speed 1580mm height
- 50kg weight (TD1316F)



- 20mm capacity
- 20mm B22 chuck
- #3 MT Spindle
- 1hp, 240V motor
- 12 speed 1600mm height
- 64kg weight (TD1420F)



- 25mm capacity
- 20mm B22 chuck
- #3 MT Spindle
- 2hp, 240V motor
- 12 speed 1710mm height
- 101kg weight (TD1825F)
- - 32mm capacity
 - 20mm B22 chuck
 - #4 MT Spindle
 - 2hp, 240V motor
 - 12 speed 1710mm height
 - 114kg weight (TD2032F)



1" TUBE BENDER

- 3/8", 1/2", 9/16", 5/8", 3/4", 7/8",
- 1" Cast steel formers
- 0° to 180° Bending angle
- Bench mountable
- · Supplied in robust plastic carry case (TM810-025)



1" HYDRAULIC **PIPE BENDER**

- 3/8", 1/2", 3/4", 1" Cast steel formers • 0° to 90° Bending angle • 6,000kg Force capacity
- 150mm Stroke Supplied in metal carry case (TM811-03025)



^{\$}1589

GEARED HEAD DRILLING MACHINE QUALITY PRECISION MACHINE FOR DRILLING & TAPPING

- #4 Morse taper spindle
- Micro feed precision
- · Geared head tilts 90° right & left
- Forward and reverse operation
- · Accessories include arbor, drill chuck, drill sleeves • 40mm capacity
- 1.5hp motor, 6-speed gearbox
- 1770mm height 320kg weight
- 240V (TGD400-1) or 415V (TGD400-3)

GEARED HEAD DRILLING & MILLING MACHINE

- All the features of the TGD400 combined with: milling table, recirculating coolant system
- 240V (TGMD400-1) or 415V (TGMD400-3)







2" HYDRAULIC PIPE BENDER

- 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2" cast steel formers
- 0° to 90° Bending angle • 13,000kg Force capacity
- 250mm Stroke
- Heavy duty castor wheels (TM811-13050)



- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3" & 4" cast formers
- 0° to 90° Bending angle
- 20,000kg Force capacity
- 370mm Stroke
- Heavy duty castor wheels (TM811-20100)





DRILL DOCTOR XP **DRILL BIT SHARPENER**

- 2.5mm to 13mm drill bit capacity
- · Creates & sharpens split point bits • 118° sharpening angle
- Adjustable relief angle
- 240V motor • 3-year warranty (DDXP)





\$509

- · 2.5mm to 13mm drill bit capacity
- 118° or 135° sharpening angle
- Creates & sharpens split point bits
- (DD500X)
- 3-year warranty



DRILL DOCTOR 750X DRILL BIT SHARPENER

- Top of the line tradesman model
- 2.5mm to 19mm drill bit capacity
- 115° to 140° sharpening angle
- Creates & sharpens split point bits
- 3-year warranty (DD750X)



Holemaker

PRO 35 MAGNETIC DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- · Capacity (depth) 52mm
- · Gravity feed coolant system with magnetically attached bottle
- Dual rail slide system
- Comes complete in plastic carry case (HMPRO35)



\$1149

Holemaker

PRO 40 MAGNETIC DRILL

- Durable & Versatile, European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- Optional 13mm twist drill
- chuck for use with standard drill bits
- Through cutter coolant system
- Comes complete in metal carry case
- 12.5kg (HMPRO40)

\$1569



Holemaker

PRO 50 MAGNETIC DRILL

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm · Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor
- 2-speed gearbox
- 16.5kg
- Comes complete in metal carry case (HMPRO50)

\$2499



Holemaker

PRO 36AD **MAGNETIC DRILL**

- European made
- Ultra low profile
- 176mm constant working height
- · Lightweight, only 9.5kg!
- Capacity (diameter) 36mm
- · Capacity (depth) 30mm
- Utilises standard 3/4" shank cutters (HMPRO36AD)



Holemaker

PRO 65 MAGNETIC DRILL

- European made
- Dual rail slide system
- · 2-speed gearbox
- Capacity (diameter) 65mm
- · Capacity (depth) 75mm
- Powerful 1500W motor
- · Lightweight, only 17kg
- · Comes complete in plastic carry case (HMPRO65)



\$2319

Holemaker

SPECIAL 60 MAGNETIC DRILL 7

- #2 Morse taper
- European made
- Capacity (diameter) 60mm
- · Capacity (depth) 75mm
- 23mm #2MT drill bit capacity
- M20 Tapping capacity
- · 2-speed variable reversing Powerful 1500W Italian motor
- Electronic clutch Overload and overheat protection
- Tilt sensor 360-degree
- visual monitoring system Intuitive top mount control
- panel Very light weight 17kg (HMSPECIÁL60)



Holemaker

SPECIAL 80 MAGNETIC DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 80mm
- · Capacity (depth) 110mm
- 25mm #3MT drill bit capacity
- M24 Tapping capacity
- · 2-speed variable reversing · Powerful 1500W Italian motor
- Electronic clutch Overload and overheat protection
- Tilt sensor 360-degree visual monitoring system
- · Intuitive top mount control panel • Very light weight 18kg (HMSPECIAL80)



Holemaker

SPECIAL 110 **MAGNETIC DRILL**

- #3 Morse taper spindle
- European made
- Capacity (diameter) 120mm
- · Capacity (depth) 110mm
- 32mm #3MT drill bit capacity
- · M30 Tapping capacity • 4-speed variable reversing
- Powerful 2150W Italian motor • Electronic clutch • Overload
- and overheat protection • Tilt sensor • 360-degree visual monitoring system
- · Intuitive top mount control panel • Very light weight 25kg (HMSPECIÁL 110)



Holemaker

SPECIAL 140 **MAGNETIC DRILL**

- #4 Morse taper spindle
- European made
- · Capacity (diameter) 150mm
- · Capacity (depth) 110mm
- · 47mm #4MT drill bit capacity M42 Tapping capacity
- · 4-speed variable reversing
- Powerful 2150W Italian motor • Electronic clutch • Overload
- and overheat protection • Tilt sensor • 360-degree visual monitoring system
- Intuitive top mount control panel • Very light weight 31kg (HMSPECIAL140)



\$6739





150_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- 370W induction motor Capacitor start for maximum performance 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel
- Durable cast iron body (PO362-150)



250_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor Capacitor start for maximum performance • 1220mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body • Heavy duty tool rest (PO482-250)



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 600W induction motor Capacitor start for maximum performance • 915mm x 50mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body Heavy duty tool rest (PO362-200)



250_{MM} BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

- Powerful 900W induction motor Capacitor start for maximum performance • 1220mm x 100mm belt
- 178mm disc 25mm wide grinding wheel Durable cast iron body Heavy duty tool rest (PO484-250)





\$299

915 x 50_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO362)



915 x 100mm BELT & DISC GRINDING ATTACHMENT

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO364)



1220 x 50_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO482)



1220 x 100_{MM} BELT & DISC GRINDING ATTACHMENT

• Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO484)



\$219

150MM BENCH GRINDER

- 370W 25mm width grinding wheels
 36 & 60 grit Durable cast iron body
- Vibration absorbing pads (TM400-150)



200MM BENCH GRINDER

- 600W 25mm width grinding wheels 36 & 60 grit • Durable cast iron body
- Vibration absorbing pads Heavy duty tool rests (TM400-200)

250MM BENCH GRINDER

- 900W 25mm width grinding wheels 36 & 60 grit Durable cast iron body
- Vibration absorbing pads Heavy duty tool rests (TM400-250)



\$329

200MM BUFFING MACHINE

- 550W 14mm width mop wheels
- Durable cast iron body Vibration absorbing pads (TM402-200)

Multitool



1220 x 50mm BELT & DISC GRINDING ATTACHMENT

• 200mm contact wheel • Suits most 200mm & 250mm bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc (PO8CW)



- Fits all Multitool Attachments except 8CW
- Sharpening jig accessory enables a professional result when sharpening chisels, planer blades, and screwdrivers
- For sharpening chisels up to 51mm, hand plane blades up to 60mm and power planer blades up to 82mm (POJIG)



• Fits all Multitool Attachments • Suitable for grinding ends square and adjusting lengths and angles • For use with all Multitool models • Table can be tilted up 5°, down 50° • Table size 110 x 204mm (POMTA)

BENCH GRINDER STANDS

• For use with TM400-150, TM400-200, TM400-250, TM402-200

Part No.	Description	Price
TM403-010	Bench Grinder Stand	\$125
TM403-012	Premium Bench Grinder Stand	\$189
1101403-012	Without Emergency Stop Switch	h pios
TM403-014	Premium Bench Grinder Stand	\$299
1101403-014	With Emergency Stop Switch	φ299



SURFACE CONDITIONING BELTS

- 915mm x 50mm
- For use with PO362

Part No.	Abrasive Level	Price
TM408-003	Polishing	\$50
TM408-001	Fine	\$50
TM408-002	Medium	\$50



- 915mm x 50mm
- For use with PO362

Part No.	Belts Per Pack	Grit	Abrasive Level	Price
TM408-008	3	400	Very Fine	\$12
TM408-007	3	240	Fine	\$12
TM408-006	3	150	Medium	\$12
TM408-005	3	80	Coarse	\$12
TM408-004	3	40	Very Coarse	\$12

Part No.	Belts Per Pack	Grits	Price
TM408-009	5	40, 80, 150, 240, 400	\$18

BUFFING COMPOUNDS

• Different metals have varying characteristics and to achieve the best results, it is essential that the correct compounds and buffs are selected



GREEN COMPOUND

• For high gloss finish on steel, stainless steel and copper • Use with a loose leaf mop (TM404-001)



GREY COMPOUND

• Used to cut back light scratch marks on copper, brass and stainless steel prior to polishing • Use only with a stitched mop (TM404-002)



RED COMPOUND

• General purpose polishing of copper, brass, aluminium and most other metals • Can be used with a loose leaf or stiched mop (TM404-003)



WHITE COMPOUND

 For high quality finishes on aluminium and aluminium alloys
 Use with a loose leaf

• Use with a loose lea mop (TM404-004)

POLISHING MOPS



Part No.	Diameter	Description	Price
TM405-001	150mm	50 Fold Loose Leaf	\$22
TM405-002	200mm	50 Fold Loose Leaf	\$32
TM405-003	150mm	Stitched	\$21
TM405-004	200mm	Stitched	\$32

ROTARY SCREW COMPRESSORS

- Complete ready to go package with screw, tank, dryer and pre/post filters included.
- Fully sealed cabinet with soundproofing and noise-reducing partitions to minimise noise.
- Extra large surface cooler allows unit to operate at ambient temperatures up to 46° C.
- Premium filtration with ultra low oil carry over meaning less contamination resulting in cleaner air.
- New generation Air End design together with precision manufacturing ensures constant high performance.
- Intelligent control system with self-service timing management.
- All the main components are easily accessible, ensuring fast and simple maintenance.
- Warranty: 2 Years on pump and 1 year on all other components.
- Nationwide service and warranty supported by Air Technology Group and ITM service network.

7.5KW 10HP ROTARY SCREW COMPRESSOR

- Motor: 7.5kW (10hp) Three Phase 415V
- Tank Capacity: 270 L
- Max Pressure: 147 psi (10 bar)
- Free Air Delivery: 1080 L/min (38cfm)
- Noise: 66 dBA
- Weight: 358kg
- Compressor Dimensions: 1540 x 740 x 1440mm Part No. TM356-10270

11KW 15HP ROTARY SCREW **COMPRESSOR**

- Motor: 11kW (15hp) Three Phase 415V
- Tank Capacity: 500 L
- Max Pressure: 147 psi (10 bar)
- Free Air Delivery: 1620 L/min (57cfm)
- Noise: 72 dBA
- Weight: 465kg
- Compressor Dimensions: 1880 x 650 x 1580mm Part No. TM356-15500

15KW 20HP ROTARY SCREW COMPRESSOR

- Motor: 15kW (20hp) Three Phase 415V
- Tank Capacity: 500 L
- Max Pressure: 147 psi (10 bar)
- Free Air Delivery: 1980 L/min (70cfm)
- Noise: 73 dBA
- Weight: 465kg
- Compressor Dimensions: 1880 x 650 x 1580mm Part No. TM356-20500

\$11.500





\$13.500



REFRIGERANT DRYERS

ITM refrigerant dryers guarantee dry and quality compressed air which prolongs the lifetime of your equipment and ensures a superior production quality. Water vapour is eliminated, avoiding corrosion in your compressed air network and tools. All in all this lowers your maintenance costs and improves your overall production process for complete peace of mind.

Nationwide service and warranty supported by Air Technology Group and ITM service network.



35 CFM AIR DRYER

- Max Working Pressure: 13 bar
- Capacity: 35 cfm Capacity: 990 L/min
- Noise: 66 dBA
- Connection: 3/4 G
- Weight: 30kg
- Dimensions: 352 x 430 x 445mm

Part No. TM357-035



74 CFM AIR DRYER

- · Max Working Pressure: 13 bar
- Capacity: 74 cfm Capacity: 2095 L/min
- Noise: 72 dBA





INDUSTRIAL SERIES COMPRESSORS

- Durable copper wound motors
- Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 Bar) maximum pressure
- AS1210 Approved tanks
- Thermal overload protection
- Includes filter regulator with one-touch
- "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



2.5HP DIRECT DRIVE **AIR COMPRESSOR - 50L**

• Ideal builder's compressor • Single cast iron cylinder pump with aluminium head • Filter regulator • 240V 10amp

• Large 50L tank • FAD 175 I/min (TM350-25050)



AIR COMPRESSOR - 50L

• Ideal builder's compressor • V-Twin cast iron cylinder pump with aluminium heads • Filter regulator • 240V 10amp

• Large 50L tank • FAD 185 l/min (TM351-22050)



AIR COMPRESSOR - 60L

- · V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 60L tank
- FAD 257 I/min (TM351-25060)



2.5HP BELT DRIVE **AIR COMPRESSOR - 90L**

- · V-Twin cast iron cylinder pump with aluminium heads
- Filter regulator 240V 10amp Large 90L tank
- FAD 257 I/min (TM351-25090)



• Ideal for commercial applications • Cast iron cylinder pump with aluminium head • Filter regulator • Large 50L tank • FAD 318 l/min • 240V 15amp (TM351-30050)



• Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator

• 60L tank • FAD 328 I/min • 240V 15amp (TM351-30060)



AIR COMPRESSOR - 90L • Ideal for commercial applications • Triple cast iron cylinder pump with aluminium heads • Filter regulator

• 90L tank • FAD 328 l/min • 240V 15amp (TM351-30090)



DRIVE AIR COMPRESSOR - 60L • Powered by Honda GX160 5.5hp engine • HD cast iron

cylinder with aluminum head • Filter regulator • Large 60L tank • FAD 355 I/min (TM352-55060)



5.5HP 3 PHASE, STATIONARY AIR COMPRESSOR - 200L

· Ideal for commercial workshops · Twin cast iron cylinder pump with aluminium head • Soft start • Large 200L tank • FAD 507 I/min (TM353-55200)



7.5HP 3 PHASE, STATIONARY AIR COMPRESSOR - 270L

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 704 l/min *(TM353-75270)*



10HP 3 PHASE, STATIONARY AIR COMPRESSOR - 270L

• Ideal for commercial workshops • Triple cast iron cylinder pump with aluminium head • Soft start • Large 270L tank • FAD 1143 l/min (TM353-10270)





STANDARD TORQUE WRENCHES

- Nm engraved marking scales on the front
- Ft-lb or in-lb engraved marking scales on the back
- · Non-slip knurled handle design
- Turn screw to unlock and lock the torque setting
- Premium quality Made in Taiwan
 Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$90
M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$90
M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$90
M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$90
M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$94
M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$165
M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$1,130
M7-TE830150N	1"	300~1500Nm (258~1070ft-lb)	\$2,280
M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$3.890



WINDOW SCALE TYPE TORQUE **WRENCHES**

- Window scale screen with both Nm and ft-lb indicated
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- · Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TW210222	1/4"	2~25Nm (1.5~18ft-lb)	\$180
M7-TW310552	3/8"	5~50Nm (3.5~37ft-lb)	\$205
M7-TW311102	3/8"	10~100Nm (8~75ft-lb)	\$220
M7-TW412202	1/2"	20~200Nm (10~150ft-lb)	\$245
M7-TW416302	1/2"	60~300Nm (45~200ft-lb)	\$260
M7-TW611602	3/4"	100~600Nm (75~440ft-lb)	\$855
M7-TW612102	3/4"	200~1000Nm (150~740ft-lb)	\$1,040



WINDOW SCALE TYPE TORQUE **WRENCHES - REVERSIBLE**

- Window scale screen with both Nm and ft-lb indicated
- Reversible works in both clockwise and anti-clockwise direction
- · Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
 Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TD202025	1/4"	2~25Nm (1.5~18.4ft-lb)	\$205
M7-TD305050	3/8"	5~50Nm (3.5~36.9ft-lb)	\$215
M7-TD410100	1/2"	10~100Nm (8~75ft-lb)	\$260
M7-TD420200	1/2"	20~200Nm (10~150ft-lb)	\$280
M7-TD610060	3/4"	100~600Nm (75~440ft-lb)	\$910



PROFESSIONAL TORQUE WRENCHES - REVERSIBLE

- Nm engraved marking scales on the front
- · Ft-lb engraved marking scales on the back
- Reversible works in both clockwise and anti-clockwise direction
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking and locking with each 1Nm adjustment
- Pull back collar locking mechanism
- Premium quality Made in Taiwan
 Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TB205025N	1/4"	5~25Nm (3.69~18.4ft-lb)	\$105
M7-TB305025N	3/8"	5~25Nm (3.69~18.4ft-lb)	\$105
M7-TB320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$130
M7-TB420210N	1/2"	20~210Nm (14.8~155ft-lb)	\$155
M7-TB450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$205
M7-TB610060N	3/4"	100~600Nm (75~440ft-lb)	\$875
M7-TB615080N	3/4"	150~800Nm (110~590ft-lb)	\$1,020
M7-TB620100N	3/4"	200~1000Nm (150~740ft-lb)	\$1.130



FLEXIBLE HEAD TORQUE WRENCHES

- 15 Degree flexible head
- Ft-lb marking scales on the front
- Pull back collar locking mechanism
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- · Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TF310080N	3/8"	13.5~108Nm (10~80ft-lb)	\$245
M7-TF430250N	1/2"	40.6~339Nm (30~250ft-lb)	\$320



SPLIT BEAM TORQUE WRENCHES

- · Window scale screen with ft-lb indicated
- · Adjustment of torque setting made with turn dial on side
- 15 Degree flexible head
- Premium quality Made in Taiwan
- Supplied with certificate of calibration
- Supplied in blow mold plastic case

Part No.	Drive	Torque Range	Price
M7-TS320100N	3/8"	27~135.6Nm (20~100ft-lb)	\$295
M7-TS440250N	1/2"	54.2~339Nm (40~250ft-lb)	\$330



MINI DIGITAL TORQUE WRENCHES

- 244mm length
- Reversible ratchet
- L.C.D. display
- Non slip handle
- Buzzer vibration and flash alarm Accuracy: C.W. ± 3%, C.C.W. ± 4%
- · Quick release head



Part No.	Drive	Torque Range	Price
M7-GMS203006	1/4"	0.3 - 6Nm (0.221 - 4.424 ft-lb)	\$485
M7-GMS207015	1/4"	0.75 - 15Nm (0.554 - 11.07 ft-lb)	\$485
M7-GMS212025	1/4"	0.125 - 25Nm (0.923 - 18.45 ft-lb)	\$485

DIGITAL TORQUE ADAPTOR

- · Converts any standard square drive ratchet into an accurate digital torque wrench
- Flashing L.E.D. and audible notification when desired torque setting has been achieved
- Simple multifunction operation with peak and trace modes
- · Shows units in: Ib-in, Ib-ft, Nm and kg.cm
- Can store 30 memory default values
- · Auto power saving mode after 2 mins
- Accuracy: C.W. ± 1.5%, C.C.W. ± 2.5%
- Size: 75x42x39mm

Part No.	Drive	Torque Range	Price
M7-GTW930	3/8"	6.8 - 135Nm (5.0 - 99.5 ft-lb)	\$145
M7-GTW940	1/2"	10 - 200Nm (7.4 - 147.5 ft-lb)	\$145
M7-GTW941	1/2"	17 - 340Nm (12.5 - 250.7 ft-lb)	\$175

DIGITAL TORQUE WRENCHES

- · L.C.D. display
- Buzzer vibration and flash alarm
- · Quick release head
- · Reversible ratchet
- Non slip handle
- Operating temperature: -10°C~ 60°C
- Humidity: Up to 90% non-condensing
- Battery life (standard mode): 1 year
- Battery life (continuous operation): 110 hrs



Part No.	Drive	Torque Range	Price
M7-GTW201030	1/4"	1.5 - 30Nm (1.1 - 22 ft-lb)	\$425
M7-GTW306135	3/8"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$450
M7-GTW406135	1/2"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$470
M7-GTW410200	1/2"	10 - 200Nm (7.3 - 147 ft-lb)	\$535
M7-GTW417340	1/2"	17 - 340Nm (12 - 250 ft-lb)	\$645
M7-GTW606060	3/4"	60 - 600Nm (44.28 - 442.8 ft-lb)	\$1,650
M7-GTW610100	3/4"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$1,955
M7-GTW810100	1"	100 - 1 000Nm (73 8 - 738 ft-lh)	\$2 375

DIGITAL TORQUE WRENCHES WITH ANGLE READING

- Angle: Min.: 1°, max.: 360°
- · Reversible ratchet
- . L.C.D. display
- · Non slip handle
- Buzzer vibration and flash alarm
- Accuracy: C.W. ± 1.5%, C.C.W. ± 2.5%
- · Quick release head



M7-GTA201030	1/4"	1.5 - 30Nm (1.11 - 22.12 ft-lb)	\$455
M7-GTA306135	3/8"	6.8 - 135Nm (5.0 - 99.5 ft-lb)	\$480
M7-GTA406135	1/2"	6.8 - 135Nm (5.0 - 99.5 ft-lb)	\$495
M7-GTA410200	1/2"	10 - 200Nm (7.4 - 147.5 ft-lb)	\$535
M7-GTA417340	1/2"	17 - 340Nm (12.5 - 250.7 ft-lb)	\$645
M7-GTA606060	3/4"	60 - 600Nm (44.28 - 442.8 ft-lb)	\$1,690
M7-GTA610100	3/4"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2,100
M7-GTA810100	1"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2,495

FLEXIBLE HEAD DIGITAL TORQUE WRENCHES

- · L.C.D. display
- · Buzzer vibration and flash alarm
- · Quick release head
- · Reversible ratchet
- · Non slip handle
- Accuracy: C.W. ± 2%, C.C.W. ± 3%




Part No.	Drive	Torque Range	Price
M7-GTF203030	1/4"	3 - 30Nm (2.22 - 22.12 lb-ft)	\$515
M7-GTF313135	3/8"	13.5 -135Nm (10 - 99.5 ft-lb)	\$515
M7-GTF420200	1/2"	20 - 200Nm (14.8 - 147.5 ft-lb)	\$585
M7-GTF434340	1/2"	34 - 340Nm (25 - 250.7 ft-lb)	\$585

FLEXIBLE HEAD DIGITAL TORQUE WRENCHES WITH ANGLE READING

- Angle: Min.: 1°, max.: 360°
- · L.C.D. display
- · Buzzer vibration and flash alarm
- · Quick release head
- · Reversible ratchet
- Non slip handle
- Accuracy: C.W. ± 2%, C.C.W. ± 3%



	Part No.	Drive	Torque Range	Price
	M7-GTB201030	1/4"	3 - 30Nm (2.22 - 22.12 lb-ft)	\$535
	M7-GTB306135	3/8"	13.5 - 135Nm (10 - 99.5 ft-lb)	\$555
_	M7-GTB410200	1/2"	20 - 200Nm (14.8 - 147.5 ft-lb)	\$615
_	M7-GTB417340	1/2"	34 - 340Nm (25 - 250.7 ft-lb)	\$635



EXTRA HEAVY DUTY TRIGGER CLAMPS

- · Cast alloy construction
- Very strong 350kg clamping pressure
- Head can be reversed to create a spreader
- · Removable soft pads

Part No.	Span x Depth	Price
EC-TC6	152 x 95mm	\$69
EC-TC12	305 x 95mm	\$72
EC-TC18	457 x 95mm	\$82
EC-TC24	610 x 95mm	\$89
EC-TC36	914 x 95mm	\$105









FORGED STEEL C CLAMPS

- Tempered & hot forged steel
- Nickel & chrome plating
- Hardened Acme spindle Swivel pad ensures even pressure is applied

Part No.	Span x Depth	Clamping Force	Price
EC-BC4	100x50mm	900kg	\$80
EC-BC5	125x65mm	850kg	\$86
EC-BC6	150x75mm	1000kg	\$98
EC-BC8	200x100mm	1000kg	\$125
EC-BC10	250x115mm	1200kg	\$130
EC-BC12	300x125mm	1500kg	\$200



FORGED STEEL FCLAMPS

• Premium quality forged steel clamps • Tempered & hot forged steel • Nickel & chrome plating

Part No.	Span x Depth	Clamping Force	Price
EC-G16CS	160x80mm	300kg	\$52
EC-G20CS	200x100mm	450kg	\$68
EC-G25CS	250x120mm	550kg	\$84
EC-G30CS	300x140mm	670kg	\$105
EC-G40CS	400x175mm	1000kg	\$135
EC-G60CS	600x175mm	1000kg	\$155
EC-G80CS	800x175mm	1000kg	\$180
EC-G100CS	1000x175mm	1000kg	\$200



HEAVY DUTY FORGED STEEL FCLAMPS

- Larger rail sizes 30x15mm • For heavy duty applications
- Changeable clamping heads
- · Socket drive handle
- Up to 1000mm span available

Part No.	Span x Deptn	Clamping Force	Price
EC-GS30C	300x140mm	1200kg	\$190
EC-GS40C	400x120mm	1200kg	\$210
EC-GS50C	500x140mm	1200kg	\$230
EC-GS60C	600x120mm	1200kg	\$240
EC-GS80C	800x140mm	1200kg	\$260
EC-GS100C	1000x120mm	1200kg	\$295



QUICK ACTION FORGED STEEL F CLAMPS

• Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Part No.	Span x Depth	Clamping Force	Price
EC-G16L	160x80mm	300kg	\$110
EC-G20L	200x100mm	350kg	\$125
EC-G30L	300x140mm	500kg	\$175
EC-G40L	400x120mm	550kg	\$190
EC-G50L	500x120mm	550kg	\$195



PIVOT HANDLE FORGED STEEL FCLAMPS

• The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Part No.	Span x Depth	Clamping Force	Price
EC-REG20C	200x100mm	670kg	\$80
EC-REG30C	300x140mm	670kg	\$115
EC-REG40C	400x175mm	700kg	\$150
EC-REG60C	600x175mm	700kg	\$175



EXTRA HEAVY DUTY FORGED STEEL FCLAMPS

- Extra large rail size 40x20mm
- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1500mm span available

Part No.	Span x Depth	Clamping Force	Price
EC-SS30C	300x175mm	2200kg	\$320
EC-SS40C	400x175mm	2200kg	\$345
EC-SS50C	500x175mm	2200kg	\$365
EC-SS60C	600x175mm	2200kg	\$395
EC-SS100C	1000x175mm	2200kg	\$520
EC-SS150C	1500x175mm	2200kg	\$645



WORKSHOP BENCH VICES

- · Hardened steel jaws · Close grained cast iron body
- Integrated anvil for shaping and beating

Part No.	Jaw Width	Weight	Price
TM098-100	100mm	7kg	\$109
TM098-125	125mm	10kg	\$159
TM098-150	150mm	14kg	\$199
TM098-200	200mm	22kg	\$279



MECHANICS BENCH VICES

Part No.	Jaw Width	Weight	Price
TM100-075	75mm	7.5kg	\$100
TM100-100	100mm	10.0kg	\$150
TM100-125	125mm	15.5kg	\$215
TM100-150	150mm	18.0kg	\$255
TM100-200	200mm	31.0kg	\$380



MULTI-PURPOSE BENCH VICE

• Jaw width: 125mm • Jaw opening: 135mm • Pipe holding capacity: 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil (TM101-125)

FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



CT	Ε.	A I			_		А	W	١//
ST	H	ΑI	La.	п		JI /	н	v	v

Part No.	Jaw Width	Weight	Price
TM102-100	100mm	10.5kg	\$189
TM102-125	125mm	18.5kg	\$319
TM102-150	150mm	22.6kg	\$359
TM102-200	200mm	37.0kg	\$659



OFFSET JAW

Part No.	Jaw Width	Weight	Price
TM104-100	100mm	11.2kg	\$189
TM104-125	125mm	20.3kg	\$359
TM104-150	150mm	25.0kg	\$379
TM104-200	200mm	60.0kg	\$919



100MM CROSS VICE

- Jaw width: 110mm Jaw opening: 100mm
- X movement: 85mm Y movement: 110mm
- Net weight: 7kg Cast iron body
- Machined steel jaws (TM130-100)


150MM CROSS VICE

- Jaw width: 160mm Jaw opening: 150mm
- X movement: 160mm Y movement: 155mm
- Net weight: 14.5kg Cast iron body
- Machined steel jaws (TM130-150)


MAGNETIC VICE JAWS

• Easy to use, simply place over existing jaws and 2 magnetic tabs hold jaws in place • Protects work piece from scoring or marking • Supplied as a pair





Part No.	To Suit	Price
TM121-100	100mm (4") Bench Vices	\$22
TM121-125	125mm (5") Bench Vices	\$25
TM121-150	150mm (6") Bench Vices	\$30







DRILL PRESS VICES

· Cast iron body · Machined steel jaws · Great for machine shops, fabrication workshops & tool rooms

Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDP078	78mm	19mm	86mm	1.7kg	\$33
VDP102	102mm	21mm	105mm	3.2kg	\$52
VDP150	150mm	28mm	150mm	7.2kg	\$98



HINGED PIPE VICES

- · Hardened steel jaws
- · Close grained cast iron body
- Perfect for repetitive clamping tasks · Hinged section allows quick access to material

Part No.	Pipe Diameter	Price
TM114-068	8 - 68mm	\$89
TM114-078	8 - 78mm	\$129
TM114-120	13 - 120mm	\$259

CHAIN **PIPE VICES**

- · Hardened steel jaws
- · Close grained cast iron body
- Offers excellent grip for irregular shapes due to flexibility of the chain
- Can be rapidly tightened to provide a very strong grip on the pipe

Part No.	Pipe Diameter	Price
TM115-100	30-100mm	\$119
TM115-160	40-160mm	\$249
TM115-230	40-230mm	\$359



T.C.T. HOLESAW SETS



5 PCE SET 16-40MM

4.5_{MM} CUTTING DEPTH

• Includes sizes 16, 20, 25, 32, 40mm Part No. MCS-SET5



6 PCE SET 16-50MM

4.5MM CUTTING DEPTH

• Includes sizes 16, 20, 25, 32, 40mm & 50mm. Part No. MCS-SET6



5 PCE SET 16-40MM

25_{MM} CUTTING DEPTH

• Includes sizes 16, 20, 25, 32, 40mm Part No. MCTR-SET5



6 PCE SET 16-50MM

25_{MM} CUTTING DEPTH

• Includes sizes 16, 20, 25, 32, 40mm & 50mm Part No. MCTR-SET6



CARBIDE BURR SETS - DOUBLE CUT

- Premium industrial quality burrs designed for heavy fabrication applications
- 1/4" Shank



3 PIECE 3/8" CARBIDE **BURR SET**

- 3/8" Cylindrical end cut
- 3/8" Cylindrical radius end
- 3/8" Tree shape radius end • 1/4" Shank (CB-SET-03)



5 PIECE 3/8" CARBIDE BURR SET

- 3/8" Cylindrical end cut
- 3/8" Cylindrical radius end
- 3/8" Ball shape
- 3/8" Tree shape radius end
- 3/8" Cylindrical aluminium cut
- 1/4" Shank (CB-SET-01)



5 PIECE 3/8" & 1/2" CARBIDE BURR SET

- 3/8" Cylindrical end cut
- 1/2" Cylindrical end cut
- 3/8" Cylindrical radius end
- 1/2" Cylindrical radius end
- 3/8" Tree shape radius end
- 1/4" Shank (CB-SET-05)





COUNTERSINK SET

3 FLUTE, 3 TO 20.5MM

- 3 to 8.4mm 3 to 12.4mm
- 3 to 20.5mm (STSET-05)



COUNTERSINK SET

3 FLUTE, 3 TO 25MM

- 3 to 10.4mm 3 to 16.5mm
- 3 to 25mm (STSET-03)



COUNTERSINK SET

3 FLUTE, 3 TO 20.5_{MM}

- 3 to 6.4mm 3 to 8.4mm
- 3 to 10.4mm 3 to 12.4mm
- 3 to 16.5mm 3 to 20.5mm (STSET-01)



COUNTERSINK SET CROSSHOLE. 5 TO 20MM

- 5 to 10mm
- 10 to 15mm
- 15 to 20mm (SWSET-03)

Holemaker

STEP DRILLS SPIRAL FLUTE

• Titanium Nitride Coated

Part No.	Sizes Inc.	Price
SD4-20MM	4 to 20mm	\$44
SD5-25MM	5 to 25mm	\$70
SD6-30MM	6 to 30mm	\$120
SD7-40.5MM	7 to 40.5mm	\$200



SPIRAL FLUTE

- 4 to 20mm
- 5 to 25mm
- 6 to 30mm (SDSET-1)



STEP DRILLS STRAIGHT FLUTE

• Titanium Nitride Coated

Part No. SDST4-12MM 4 to 12mm SDST4-20MM 4 to 20mm \$44 SDST5-25MM 5 to 25mm SDST6-30MM 6 to 30mm



• 5 to 25mm

• 6 to 30mm (SDSTSET-1)



ELECTRICIAN'S COBALT HOLESAW SET

Set includes: • 16, 20, 25, 32, 40, 51mm holesaws • 11/32" & 7/16" arbors • Thread adaptor (UN108-120)



COBALT HOLESAW SET

Set includes: • 16, 19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 76mm holesaws • 11/32" & 7/16" arbors • Thread adaptor • 12" Extension bar (UN108-100)



Set includes: • 16, 19, 22, 25, 30, 35, 44, 51, 57, 73, 92, 114mm holesaws • 11/32" & 7/16" arbors

• Thread adaptor • 12" Extension bar (UN108-160)

PIVOT PRO

- KNIFE & TOOL SHARPENER 25 Handheld sharpener for a 25° convex edge
- Sharpens knives, scissors, shears, garden tools, axes · Convex carbides quickly restore a sharp edge, while the fine grit ceramic rods hone a knife edge to factory sharp results

· Compact, packable & portable design. Part No. WSHHDPVT-I





PRECISION ADJUST KNIFE SHARPENER

 Sharpening angle can be easily adjusted from 15° to 30° in 1° increments to sharpen every knife you own

• 320 grit & 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife. Part No. WSBCHPAJ-I







WHETSTONE KNIFE SHARPENER

- The Whetstone Knife Sharpener is an angle guided, dual-grit sharpening water stone for knives and fine edge tools
- Premium 1000 grit and 6000 grit aluminium oxide sharpening stone creates incredibly sharp edges
- · Sharpening base provides a stable platform and increased water control for less mess and faster clean up
- 17° and 20° removeable sharpening guides (WSBCHWHT-I) WORK SHARPS HARPS SHARPS SHAPPS SHAPP



BENCHSTONE KNIFE SHARPENER

• The Benchtop Bench Stone is an angle guided, 3-sided abrasive sharpening system

· Medium and fine grit diamond plates quickly restore a sharp edge, while the fine grit ceramic stone creates an incredibly keen edge on any knife

 The innovative Pivot-Response[™] System allows the abrasive to follow the curve of the blade - making manual sharpening faster, easier and more precise than ever

• 20° and 25° sharpening guides (WSBCHBSS-I)



WSKTS MK2 ELECTRIC SHARPENER

- 240V Flexible Belt Sharpener
- Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives
- Scratch resistant leather linings to protect blade faces
- Two-speed motor, low speed gives more control when sharpening a knife yet still provides all the power you need for heavier sharpening and grinding tasks on tools like lawnmower blades, axes and other common lawn & garden tools (WSKTS2-I)

WORK SHARP SHARPENERS



KEN ONION EDITION KNIFE & TOOL SHARPENER

• 240V Electric knife sharpener • The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife • The sharpening guide is fully adjustable in 1° increments from 15° to 30° • Variable speed control 6000 - 14000rpm (WSKTS-KO) WORK SHARPS HARPS SHARPS



POWERED by HONDA

PETROL GENERATORS

- Powered by Australian approved Honda GX Series Engines
- All models come complete with, IP66 rated power outlets and R.C.D. (Residual Current Device), the Construction Series Generators are perfect for the professional tradesman needing a tough yet reliable source of power
- Powerful 4 stroke O.H.V. engines
- · Low oil sensor
- · 2-year warranty, 3-year Honda engine warranty
- A.V.R. (Automatic Voltage Regulator)









Part No.	TM522-3000
Engine Model	GX200
Engine HP	6.5hp
Max Watts	3,000
Rated Watts	2,800
Outlets	1 x 15A
Fuel Tank	3.6L
Running Time	4.5 hours
Net Weight	47kg
Price	\$1299



Part No.	TM522-6000
Engine Model	GX390
Engine HP	13hp
Max Watts	6,000
Rated Watts	5,500
Outlets	2 x 15A
Fuel Tank	25L
Running Time	13 hours
Net Weight	80kg
Price	\$2399

POWERED by HONDA **WATER PUMPS**

50MM PETROL WATER TRANSFER PUMP

 Powered by Honda GX160 5.5hp 4 stroke engine



1101532-050
5.5hp
50mm (2")
7m
32m
35,000 l/hr (583 l/min)
25kg
\$1049

- Powered by Australian approved Honda GX Series Engines
- · Heavy duty roll cage frame
- Heavy duty pump body
- 3-year Honda engine warranty
- 2-year trade warranty on pump

80MM PETROL WATER TRANSFER PUMP

- Powered by Honda GX160 5.5hp 4 stroke engine
- Ideal for high volume applications



Part No.	TM532-080
Engine HP	5.5hp
Inlet / Outlet Size	80mm
Maximum Suction Lift	7m
Maximum Head	30m
Maximum Flow	60,000 l/hr (1000 l/min)
Net Weight	27kg
Price	\$1149

50MM PETROL WATER PRESSURE PUMP

- Powered by Honda GX200 6.5hp 4 stroke engine
- Twin impeller delivers water higher and further

Dart No



i ait ivo.	TIVIOUZ ZOU		
Engine HP	6.5hp		
Inlet Size	50mm (2")		
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")		
Maximum Suction Lift	7m		
Maximum Head	75m		
Maximum Flow	21,000 l/hr (350 l/min)		
Net Weight	29kg		
Price	\$1299		

WATER PUMPS

50MM PETROL WATER TRANSFER PUMP



Part No.	TM530-050
Engine HP	7hp
Inlet / Outlet Size	50mm (2")
Maximum Suction Lift	7.5m
Maximum Head	32m
Maximum Flow	28,000 l/hr (466 l/min)
Net Weight	25kg
Price	\$429

80MM PETROL

 Twin impeller delivers water higher and further

25mm Max. particle size



· Powerful 7hp 4 stroke engines

	1000	
Part No.	TM530-080	
Engine HP	7hp	
Inlet / Outlet Size	80mm	
Maximum Suction Lift	7.5m	
Maximum Head	25m	
Maximum Flow	60,000 l/hr (1000 l/min)	
Net Weight	37kg	
Price	\$699	

• Heavy-duty roll cage frame · 2-year trade warranty

· Heavy-duty aluminium pump body

50MM PETROL WATER PRESSURE **PUMP**

 Twin impeller delivers water higher and further



Part No.	TM530-250		
Engine HP	7hp		
Inlet Size	50mm (2")		
Outlet Size	1x 50mm (2"), 2x 38mm (1.5")		
Maximum Suction Lift	7m		
Maximum Head	80m		
Maximum Flow	17,000 l/hr (283 l/min)		
Net Weight	36kg		
Price	\$559		


INDUSTRIAL QUALITY PETROL GENERATORS

TRADE SERIES

ITM Trade Series generators are equipped with a reliable AVR (Automatic Voltage Regulator) alternator utilising advanced electronic technology to provide a very pure energy supply with a THD (Total Harmonic Distortion) of <5%. This clean and pure output means they are suitable to power even the most delicate

- Powerful 4 stroke OHV engines

- Low oil sensor Digital multimeter display Large capacity fuel tanks







Part No.	TM510-2300	TM510-2800	TM510-3400	TM510-5500	TM510-6500	TM510-8000
Engine HP	6hp	7hp	8hp	13hp	15hp	17hp
KVA	2.8	3.5	4	6.8	8.1	10
Max Watts	2,300	2,800	3,400	5,500	6,500	8,000
Rated Watts	2,000	2,500	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	75dB	75dB	76dB	78dB	79dB	80dB
Outlets	2 x 15A					
Fuel Tank	15L	15L	15L	25L	25L	25L
Running Time - 50% Load	19 hours	16 hours	14 hours	13 hours	12 hours	10 hours
Starting System	Recoil	Recoil	Electric	Electric	Electric	Electric
Handle & Wheel Kit	No	No	No	Yes	Yes	Yes
Net Weight	41kg	44kg	52kg	81kg	85kg	85kg
Price	\$899	\$999	\$1229	\$1849	\$2069	\$2349

CONSTRUCTION SERIES

The Construction Series models have a simple push button electric start (battery included) with a convenient remote control which is perfect for the large property or worksite where the generator may not be close to the tool being powered.

All models come complete with a heavy duty handle and wheel kit, IP66 rated power outlets and RCD (Residual Current Device.) The construction series gens are perfect for the professional tradesman needing a tough yet reliable source of power.











Part No.	TM520-3400	TM520-5500	TM520-6500	TM520-8000
Engine HP	8hp	13hp	15hp	17hp
KVA	4	6.8	8.1	10
Max Watts	3,400	5,500	6,500	8,000
Rated Watts	3,200	5,000	6,000	7,500
Noise @ 7m Full Load	76dB	78dB	79dB	80dB
Outlets	1 x IP66	2 x IP66	2 x IP66	2 x IP66
Fuel Tank	15L	25L	25L	25L
Running Time - 50% load	14 hours	13 hours	12 hours	10 hours
Starting System	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote	Electric w/ Remote
Handle & Wheel Kit	Yes	Yes	Yes	Yes
Net Weight	54kg	83kg	88kg	95kg
Price	\$1449	\$2129	\$2349	\$2599





M7

\$395

1/2" COMPACT **AIR IMPACT** WRENCH

- Lightweight, only 1.6kg
- Low noise level, only 85dB Compact size, only
- 115.5mm length
- Powerful, 680Nm (500ft-lb) max torque • 16mm Bolt capacity (M7-NC4610Q)

M7

\$435 EASY GREASE ANVIL SERIES CONTAIN

1/2" AIR IMPACT WRENCH

- · Compact size. only 104mm length
- Lightweight, only 1.4kg
- Powerful, 900Nm (650ft-lb) max torque
- 16mm Bolt capacity (M7-NC4650H)

M7

EASY GREASE ANVIL SERIES CONTAIN

1/2" AIR IMPACT WRENCH

- Lightweight, only 1.7kg • Powerful, 1650Nm (1200ft-lb) Max Torque
- Extra heavy duty twin hammer
- · Value for money, high quality & specs • 25mm Bolt capacity
- Magnesium composite body (M7-NC4255QH)

M7

\$550 1/2" AIR IMPACT

- WRENCH · Lightweight, only 1.8kg
- · Compact size, only 141mm length
- Powerful, 1500Nm (1100ft-lb) Max torque
- 25mm Bolt capacity
- Extra heavy duty twin hammer (M7-NC4256Q)

M7 \$7/19 EASY GREASE **ANVIL SERIES** 3/4" AIR **IMPACT WRENCH**

- · Lightweight, only 2.68kg
- Low noise level, only 83dB
- Powerful, 1650Nm (1200ft-lb) Max torque • Compact metal body, only 171mm length • 25mm Bolt capacity (M7-NC6236QH)

M7

\$769 EASY GREASE ANVIL SERIES CONTAIN

3/4" AIR IMPACT **WRENCH**

- Lightweight composite body, only 1.9kg
- · Low noise level, only 85dB
- Powerful, 1900Nm (1400ft-lb) Max torque! • Compact - Only 198mm Length • 25mm Bolt capacity (M7-NC6255QH)

M7

\$1040 **SUPER DUTY** 3/4" AIR IMPACT

WRENCH · Lightweight composite body, only 3.0kg!

- · Low noise level, only 88dB
- Powerful, 2000Nm (1500ft-lb)

Max torque • Super Duty, designed for the commercial tyre industry

• 30mm Bolt capacity (M7-NC6266)



3/4" D HANDLE AIR IMPACT WRENCH

- Powerful, 2000Nm (1500ft-lb) Max torque
- 27mm Bolt capacity
- 320mm Overall length

• 5.7kg (M7-NC6218)



1" AIR IMPACT WRENCH

• Powerfulm 2000Nm (1500ft-lb) Max torque • 5kg Weight • 92dB Noise level • 30mm Bolt capacity (M7-NC8217)



\$1960

1" AIR IMPACT WRENCH

- 3250Nm (2400ft-lb) Max torque
- 36mm Bolt capacity 390mm Overall length • 100dB Sound pressure • 12.1kg (M7-NC8252)



\$2660

1" AIR IMPACT WRENCH

- 3650Nm (2710ft-lb) Max torque
- Very lightweight 11kg Mighty spring in the cylinder increases the air efficiency
- 39.7mm Bolt capacity 370mm Overall length • 100dB Sound pressure (M7-NC8382)





\$240

3/4" DRIVE DEEP IMPACT SOCKET SET

• 8 Piece 21, 23, 24, 27, 30, 32, 36, 41mm (M7-MB65008M1)



- Overall length: 290mm (M7-SN1288)
- 2.8kg Needle size: 3x180mm (19 per set)
- Overall length: 330mm (M7-SN2110)
- **AIR HAMMER SET**
- Blows per minute: 3200bpm
- Shank: Round 10.2mm
- Overall length: 175mm
- Includes 5 piece Chisel kit (M7-SC0517C)



• Blow per minute: 4000 bpm

- Shank: Square 0.510" (13mm)
- Net weight: 1.33kg (M7-SN1032)

M7



COMPACT **AIR DIE GRINDER**

- Length: 155mm Net weight: 0.38kg
- Includes 1/4" & 1/8" collets
- Free speed: 25.000rpm
- · Rated power: 0.3hp (M7-QA111B)

 m_7



AIR DIE GRINDER

- Length: 190mm Net weight: 0.65kg
- Includes 1/4" & 1/8" collets
- Free speed: 20,000rpm
- Rated power: 0.9hp
- Heavy duty model (M7-QA211B)
- Die grinder with 6mm collet also available





90° ANGLE HEAD **AIR DIE GRINDER**

- Head height: 73mm
- Includes 1/4" & 1/8" collets
- Free speed: 19.000rpm
- · Rated power: 0.3hp
- Net weight: 0.51kg (M7-QA611B)





EXTENDED AIR DIE GRINDER

- Length: 280mm
- Net weight: 0.63kg
- Includes 1/4" & 1/8" collets
- Free speed: 25,000rpm
- Rated power: 0.3hp (M7-QA315B)

M7



- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- rivet capacity • 4.0mm (5/32") Stainless rivet capacity
- Stroke length: 16mm Net weight: 1.5kg
- Traction power: 2303 lbf (M7-PA301)
- 4.8mm (3/16") Aluminium & steel




2.4, 3.2, 4.0, 4.8, 6.0 & 6.4mm

- 6.4mm (1/4") Aluminium & steel rivet capacity
- 4.8mm (3/16") Stainless rivet capacity • Stroke length: 14mm
- Traction power: 3534 lbf (M7-PA201)



AIR SAW SET

- Quick change saw blade holder
- · Adjustable guide controls depth of cut
- 10mm stroke length
- Kit includes: 6x 24T saw blades. 6x 32T saw blades, 6 piece File set, Inline oiler (M7-QD291N)





AIR CHIPPING HAMMERS

- Hex shank: 0.58" (15mm)
- Forged steel body provides industrial level quality and durability

Part No.	Blows Per Min.	Stroke Length	Overall Length	Price
M7-SN3222	2300	78mm	373mm	\$1,140
M7-SN3223	1900	119mm	419mm	\$1,230
M7-SN3224	1700	142mm	445mm	\$1,570



RANDOM ORBITAL AIR SANDER

- · Self generated vacuum
- Pad diameter: 150mm
- Orbit: 5mm
- Free speed: 10,000rpm
- Net weight: 0.68kg (M7-QB55602)



AIR DRILL 1/2" CHUCK

- Keyless chuck
- Reversible
- Free speed: 800rpm
- Length: 210mm • Quiet, only 83dB
- Net weight: 1.7kg (M7-QE841)



EXTRA HEAVY DUTY AIR ANGLE GRINDERS

- Free speed: 11000rpm
- 1.3hp motor Safety lever throttle
- · Heavy duty gears · One piece housing Diameter M7-QB7114M 100mm M10x1.5 M7-QB7245M 115mm M14x2.0

M14x2.0

Grinding wheel not included

M7-QB7215M 125mm



BELT SANDERS

• Free speed: 16,000rpm (M7-QB321 pictured)

Part No.	Belt Size	Overall Length	Price
M7-QB321	10 x 330mm	320mm	\$355
M7-QB322	20 x 520mm	430mm	\$510
M7-QB324	12.7 x 610mm	455mm	\$455



HIGH-FLEX AIR HOSES

- Hybrid polymer High-Flex hose
- Anti-kink technology, the hose will not kink when under pressure
- All weather flexibility -5°C to 65°C
- 300psi maximum working pressure
- Hi-visibility for safety
- · Nitto style fittings

Part No.	Description	Price
TM300-315N	15M 3/8" I.D.	\$55
TM300-330N	30M 3/8" I.D.	\$85
TM300-415	15m 1/2" I.D.	\$69
TM300-430	30m 1/2" I.D.	\$119





AIR BLOW GUNS

Part No.	Nozzle Length	Price
M7-JC405	125mm	\$14.50
M7-JC410	250mm	\$21
M7-JC412	305mm	\$22
M7-JC424	610mm	\$36
M7-JC435	890mm	\$44

EXTENDABLE SWIVEL AIR BLOW GUN

 Nozzle length: 6-1/2" to 12" / 165 to 305mm • Tube extends and retracts for optimal positioning • Nozzle angle rotates (M7-JC202)

SUPER AIR BLOW GUNS

· Venturi nozzle with 3x airflow

Part No.	Nozzle Length	Price
M7-JC640	1016mm	\$125
M7-JC680	2032mm	\$205



ENGINE CLEANING GUN

- Cup capacity: 1.0L
- Composite body (M7-SX1615)



- Bar, psi, kpa & kg/cm²
- 0 to 220 psi range
- 1/4" BSP inlet Nitto style plug
- (TM340-001)



GENERAL PURPOSE

• 2.0mm Nozzle • 1000ml Aluminium pot (TM340-901)



PROFESSIONAL

- 1.4mm & 2.0mm Nozzles • 1000ml Aluminium pot
- (TM340-902)



GRAVITY FEED GENERAL PURPOSE

• 2.0mm Nozzle • 600ml Plastic pot (TM340-903)



PROFESSIONAL

- 1.4mm & 2.0mm Nozzles
- 600ml Plastic pot (TM340-904)



- Bar, psi, kpa & kg/cm²
- 40cm Hose
- Nitto style plug (TM340-002)



S-770 SERIES SUCTION FEED GUNS

• Pot size: 1000ml • Includes: Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional

Part No.	Nozzie Size	Spray Pattern	Price
S770-11S	1.5mm	235mm	\$185
S770-21S	1.7mm	245mm	\$185
S770-31S	2.0mm	260mm	\$185
S770-41S	2.5mm	275mm	\$185
S770-51S	3.0mm	275mm	\$240



S-106 SERIES **GRAVITY FEED GUNS**

Pot size: 600ml

• Includes: Gun, pot, stainless steel nozzle and needle

· Provides constant paint flow at lower pressures, and extremely fine atomisation

Part No.	Nozzle Size	Spray Pattern	Price
S106-141G	1.4mm	250mm	\$220
S106-201G	2.0mm	270mm	\$220
S106-251G	2.5mm	270mm	\$235
S106-281G	2.8mm	270mm	\$235



SUCTION FEED TOUCH UP GUN

Pot size: 250ml Nozzle size: 1.4mm Spray pattern: 120mm Includes: Gun, pot, stainless steel nozzle and needle

· Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying (SJ108)





IMPACT WRENCH 1/2" **DRIVE**

- Heavy duty twin hammer 3 torque settings • Max torque: 680 Nm (500 ft-lb)
- Free speed: 7000rpm (TM340-135)



COMPOSITE IMPACT **WRENCH 1/2" DRIVE**

- Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings
- 820 Nm (625 ft-lb) Max torque
- 6,800rpm Free speed (TM340-136)



COMPOSITE IMPACT WRENCH 3/4" DRIVE

- Aluminium composite material construction • Heavy duty twin hammer • 3 torque settings
- 1,200 Nm (885 ft-lb) Max torque
- 4,200rpm Free speed (TM340-145)



• 11 Piece 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24mm • Chrome Molybdenum Steel (Cr-Mo), hardened and tempered







RATCHET WRENCHES

- Compact design Rear 4-speed regulator
- Max torque: 85 Nm (60 ft-lb)
- Free speed: 160rpm

Drive	Price
3/8"	\$94
1/2"	\$105
	3/8"



DIE GRINDER

- Compact design
- Rear 4-speed regulator
- Length: 173mm
- Free speed: 25000rpm (TM340-312)



\$105

DIE GRINDER KIT WITH 3 CARBIDE BURRS

• Die grinder as per TM340-312, Including: 3/8" Cylindrical - End Cut,

3/8" Oval Shape, 3/8" Tree Shape - Radius End Cut (TM340-312KIT3)



ANGLE HEAD DIE GRINDER

- Compact design
- Rear 4-speed regulator
- Length: 180mm
- Free speed: 20000rpm (TM340-322)



CUT OFF TOOL

- Compact design
- Rear 4-speed regulator
- Cutting wheel: 75mm (3")
- Free speed: 20000rpm (TM340-502)



HYDRAULIC RIVETER

- Sets 2.4, 3.2, 4.0, 4.8mm Steel,



- Aluminium & Stainless steel rivets
- Traction Power: 3,086lb (1400kg)
- Stroke Length: 16mm (TM340-802)



NEEDLE SCALER

- Heavy duty metal construction
- Blows per minute: 2800
- Stroke: 24mm
- Length: 315mm (TM340-414)

AIR HAMMER KIT

- Includes 5 piece chisel kit
- Blows per minute: 3000rpm
- Stroke: 66mm

(TM340-404)



AIR DRILL 3/8" CHUCK

- · Quick change keyless chuck
- Adjustable auxiliary handle
- Free speed: 2200rpm (TM340-724)



AIR DRILL 1/2" CHUCK

- · Quick change keyless chuck
- Adjustable auxiliary handle
- Free speed: 700rpm (TM340-734)



DUAL ACTION SANDER

- Toolless pad release system
- Dual action pad
- Sanding pad: 150mm (6")
- Free speed: 10000rpm (TM340-602)



PALM SANDER

- 2 in 1 central & non-vacuum
- Rear exhaust Sanding pad: 150mm (6") • Free speed: 10000rpm (TM340-614)



DIGITAL VERNIER CALIPERS

· Large easy to read dual mode LCD screen (metric/imperial) • Manufactured from hardened stainless steel . Suitable for inside, outside, depth and step measurements • Auto off feature • Zero setting at any position • Durable plastic storage case • Graduation: 1mm intervals • Accuracy: +/-0.03mm • Resolution: 0.01mm (005")

Battery included



VERNIER CALIPERS

- · Metric and imperial measurements
- Manufactured from hardened stainless steel
- Convenient thumb screw locking mechanism
- · Suitable for inside, outside, depth and step
- measurements Durable plastic storage case • Graduation: 1mm intervals • Lower resolution:
- 0.05mm Accuracy: +/- 0.03mm



25_{MM} DIGITAL **OUTSIDE MICROMETER**

• Enamelled frame • Carbide tipped measuring faces • Ratchet stop and locking screw • Dual mode digital display (metric/imperial) • Auto off feature • Durable plastic storage case • Range: 0 - 25mm • Graduation: 01mm (0005")

- Accuracy: +/- 04mm Jaw reach: 23mm
- Battery included (TM610-625)



25_{MM} OUTSIDE **MICROMETER**



- · Enamelled frame · Ratchet stop and locking screw • Carbide tipped measuring faces
- Ratchet thimble Durable plastic storage
- case Range: 0 25mm Graduation: 0.01mm Accuracy: +/- 0.04mm • Jaw reach: 29mm (TM610-525)

GROZ ENGINEER'S TOOL SETS



\$60

6 PIECE SET

- Inside Caliper 4" (100mm)
- Screw Cutting Gauge
- Steel Rule 6" (150 mm)
- Pocket Scriber 3-1/2" (89mm)
- Outside Caliper 4" (100mm) Centre Punch 5/32" (4mm)

(GZ-03600)



7 PIECE SET

- Engineer's Precision
- Square 4" (100mm)
- Jenny Caliper 6" (150mm) • Steel Rule 6" (150 mm)
- Double Ended Scriber 7-1/2" (190mm)
- Centre Punch (4mm)
- Spring Divider 4" (100mm)
- Adjustable Tap & Reamer Wrench 180mm

(GZ-03601)



8 PIECE SET

- Cold Chisels: 150 x 13mm, 163 x 16mm, 175 x 19mm
- Centre Punch: 5/32"
- Pin Punches: 1/8". 3/16". 1/4"
- Starting Punches: 3/16" (GZ-33000)



14 PIECE SET

- Cold Chisels: 140 x 10mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 190 x 22mm
- Centre Punches: 5/32", 1/4"
- Pin Punches: 1/16", 1/8", 3/16"
- Drift Punches: 1/8", 5/32"
- Starting Punches: 5/16", 1/8" (GZ-33001)



16 PIECE SET

- Cold Chisels: 125 x 8mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 200 x 22mm
- Centre Punches: 1/8", 5/32", 1/4"
- Pin Punches: 1/8", 3/16", 1/4"
- Drift Punches: 3/16", 1/4"
- Starting Punches: 1/8", 3/16", 1/4"
- (GZ-33002)





COLD CHISEL SET

• 6 pce • 125x6mm, 125x8mm, 140x10mm, 150x13mm, 163x16mm 175x19mm (GZ-32830)



PIN PUNCH SET

 Hardened and tempered carbon steel • 6 piece set: 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)



CENTRE PUNCH SET

· Hardened and tempered carbon steel, designed for demanding industrial use • 5 piece set: 2mm (5/64"), 3mm (1/8"), 4mm (5/32"), 6mm (1/4"), 9.5mm (3/8") (GZ-25205)

HOLLOW & ARCH PUNCH SETS

For punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic & other soft material.

HOLLOW PUNCH SET

• 6 piece set including 5, 6, 8, 10, 11, 12mm (GZ-26391)



STEEL **PUNCHES**

NUMBER **STAMPS**

	Part No.	Size	Price
	GZ-25902	3mm	\$15
	GZ-25903	4mm	\$17
	GZ-25904	5mm	\$21
2	GZ-25905	6mm	\$27
á	GZ-25906	8mm	\$38
	GZ-25907	10mm	\$46
	GZ-25908	12mm	\$84

Price

\$44

\$110

\$130



ARCH PUNCH SET

• 7 piece set: 6, 10, 12, 16, 19, 22, 25mm (GZ-26441)

PARTS CABINETS

- Highest quality & heavy duty, robust parts cabinets designed for every day industrial use
- Metal frame construction using 0.8mm galvanised steel
- ABS High strength plastic drawers. Oil, acid and impact resistant.
- Large range of sizes and styles
- Drawers come with dividers & contents description slip

DIVIDERS

• Packs of 10

Part No.	Description	Price
PB-A4DIVIDER	10x A4 Series Dividers	\$6.70
PB-A5DIVIDER	10x A5 Series Dividers	\$8
PB-A6DIVIDER	10x A6 Series Dividers	\$9.20
PB-A7DIVIDER	10x A7 Series Dividers	\$6.70
PB-A8DIVIDER	10x A8 Series Dividers	\$8
PB-HDDIVIDER	10x HD Series Dividers	\$9.20



A8 SERIES

- 60 drawers 10kg capacity per drawer Slots for 3x dividers 1x divider supplied per drawer
- 586W x 222D x 937H (PB-A8560)



ST1 SERIES

70

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)








• 60 drawer • 10kg capacity per drawer • Slots for 3x

\$685

A5 SERIES

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer











A6 SERIES

• 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer





PB-A6330H **30 DRAWERS** 533Wx265Dx937H

^{\$}595



A7 SERIES

ST2 SERIES

• Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer





PB-A7448 **48 DRAWERS** 586Wx222Dx937H

\$570

PB-A6330HD
30 DRAWERS
533Wx313Dx970H
with lockable doors

\$970











DRILL DOCTOR XP **DRILL BIT SHARPENER**

- 2.5mm to 13mm drill bit capacity
- Creates & sharpens split point bits
- 118° sharpening angle
- · Adjustable relief angle
- 240V motor
- 3-year warranty (DDXP)





1.0HP DIRECT DRIVE AIR COMPRESSOR - 10L

- Perfect for nailing applications
- Light weight aluminium tanks
- Compact and portable design
- Max pressure: 135psi (9.3 bar)
- Quiet oil free pump only 60dB!
- FAD: 62 I/min
- 10L tank
- Weight: 19kg
- 3-year complete warranty (TM350-10010)







TOP SELLERS

PREMIUM LOCKING PLIERS

- Extra heavy duty, Industrial quality
- · Chrome-Moly Jaws and Handles for maximum strength & durability
- · Rust resistant nickel plated finish.
- Made in Taiwan







LOCAL DISTRIBUTOR

C CLAMP

SWIVEL PAD

275MM (TM604-102)